


# General Health Bad or Very Bad




Contains National Statistics data © Crown copyright and database right 2013

Contains Ordnance Survey data © Crown copyright and database right 2013

Produced by Buckinghamshire Public Health (publichealth@buckscc.gov.uk), 03May17

## General Health Bad or Very Bad by Ward, % Population-weighted quintiles



Population-weighted quintile estimates from ward-level data in Local Health.

Quintile thresholds are adjusted to include all wards with tied indicator values. Wards are allocated to the 'better' quintile.

For the 'General Health Bad or Very Bad' indicator, the following Buckinghamshire wards are in the worst quintile in Buckinghamshire;

- Amersham-on-the-Hill
- Asheridge Vale and Lowndes
- Beaconsfield South
- Booker and Cressex
- Burnham Church & Beeches
- Central
- Denham
- Elmhurst
- Gatehouse
- Gold Hill
- Great Missenden
- Iver Village & Richings Park
- Oakridge and Castlefield
- Riverside
- Southcourt
- St Mary's and Waterside
- The Risboroughs
- Wing

#### **Notes on the indicator**

No wards in Bucks were suppressed for this indicator.

Methodology/Suppression: No suppression required.

The indicator was calculated using the 'bad' and 'very bad' general health categories. General health indicators were calculated by aggregating up Output Area level data.

Definition: Number of people in the 2011 Census who reported that their health in general was bad or very bad, as a percentage of the total number of respondents to the question.

Source: ONS 2011 Census downloaded from NOMIS standard tables (QS302EW).